




TRM 16 Ø 18 ~ 23




TRM 20 Ø 22 ~ 29




TRM 25 Ø 28 ~ 38



TRM 32 Ø 35.5 ~ 51.5



TRM 40 Ø 48 ~ 63



REF.	CODE	kg		
TRM 16	455001600341	0.05		
TRM 20	455002000401	0.1		
TRM 25	455002500500	0.2		
TRM 32	455003200630	0.35		
TRM 40	455004000800	0.7		

REF.	CODE		TORX T	kg		
SFCC 16	470500516002	CCGT 0602..	TS 25	08	0.003	
SFCC 20	470500520002	CCGT 0602..	TS 25	08	0.005	
SFCC 25	470500525002	CCGT 0602..	TS 25	08	0.01	
SFCC 32	470500532002	CCGT 0602..	TS 25	08	0.02	
SFCC 40	470500540002	CCGT 09T3..	TS 4	15	0.04	
SFTP 25	470500525001	TPGX 0902..	CS 250T	08	0.01	
SFTP 32	470500532001	TPGX 0902..	CS 250T	08	0.02	
SFTP 40	470500540001	TPGX 1103..	CS 300890T	08	0.04	




• For back-facing machining see p.26

TRM 50 Ø 2.5 ~ 108

TRE 50 IP69K Ø 2.5 ~ 110



2 μ m



REF.	CODE	kg
TRM 50	455005000500	1
TRE 50 IP69K	455200500501	1.1
D08.16	200560116082	0.02
P25.63	435116250631	0.5
P25.105	435116251051	0.8
PS 31.24	433024140751	0.19
CW 32	392011003201	0.07

TRM 50/63 - TRM 63/63

Ø 2.5 ~ 125




TRM 50/80 - TRM 80/80


Ø 2.5 ~ 220




2 μm



REF.	CODE	kg		
TRM 50/63	455005000631	1.1		
TRM 63/63	455006300631	1.5		
TRM 50/80	455005000801	2		
TRM 80/80	455008000801	2.5		
D08.16	200560116082	0.02		
P20.30	431030160300	0.2		
P02.30	431030250400	0.3		
P03.30	431030250700	0.4		
P04.30	431030251150	0.7		
PS 11.30	433030260750	0.4		
PS 12.30	433030260950	0.5		
PS 13.30	433030261400	0.7		



TRM 80/125 Ø 36 ~ 500




REF.	CODE	kg		
TRM 80/125	455008001251	5.5		
P02.40	431040320700	0.7		
P03.40	431040321150	1		
P04.40	431040321900	2		

REF.	CODE	kg		
PS 11.40	433040351500	1.5		
PS 12.40	433040352300	2.4		
PS 13.40	433040353300	3.5		
PS 14.40	433040354000	4.6		

KIT K03 Ø 36 ~ 410

Working Range

TRM 80/125 EXCLUDED




REF.	CODE	kg		
KIT K03 TRM 80/125	655012500030	11.2		

REF.	CODE								
SFTP32	470500532001	TPGX 0902..	CS 250T	08	0.02				
SFTP40	470500540001	TPGX 1103..	CS300890T	08	0.04				
SFTP50	470500550001	TPGX 1103..	CS300890T	08	0.08				
SFTP51	470500550003	TCMT 16T3..	TS 4	15	0.09				

REF.	CODE								
SFCC32	470500532002	CCGT 0602..	TS 25	08	0.02				
SFCC40	470500540002	CCGT 09T3..	TS 4	15	0.04				
SFCC50	470500550002	CCGT 09T3..	TS 4	15	0.08				
SFCC51	470500550004	CCMT 1204..	TS 5	25	0.09				

PSC - PR ISO 26623-1 / 2


EXTENSIONS



PSC	REF.	CODE	L	kg		
40	PR PSC 40.60	656PS04006000	60	0.55		
50	PR PSC 50.80	656PS05008000	80	1.1		
63	PR PSC 63.100	656PS06310000	100	2.2		
80	PR PSC 80.100	656PS08010000	100	3.6		

PSC - RD ISO 26623-1 / 2


REDUCTIONS



PSC	REF.	CODE	PSCd1	L	L1	kg		
50	RD PSC 50/40.65	657PS05004000	40	65	45	0.7		
63	RD PSC 63/40.80	657PS06304000	40	80	51.4	1.3		
63	RD PSC 63/50.80	657PS06305000	50	80	51.5	1.5		
80	RD PSC 80/50.80	657PS08005000	50	80	49.3	2.2		
80	RD PSC 80/63.80	657PS08006300	63	80	53.1	2.5		

PSC - MHD' ISO 26623-1

REDUCTIONS TO MODULAR



PSC	REF.	CODE	MHD' d1	L	L1	kg		
50	PSC 50 - MHD' 50.55	416502605005	50	55		0.8		
63	PSC 63 - MHD' 40.50	416402606305	40	50	28	0.9		
63	PSC 63 - MHD' 50.55	416502606305	50	55	33	0.8		
63	PSC 63 - MHD' 63.77	416632606307	63	77		1.8		
80	PSC 80 - MHD' 50.60	416502608006	50	60	30	2		
80	PSC 80 - MHD' 63.70	416632608007	63	70	40	2.3		
80	PSC 80 - MHD' 80.75	416802608007	80	75		2.6		

On request supplied with coolant tube **PSC**. See p.53

